Winter in Winnipeg tests every seam and shingle you own. The temperature swings crackle like a campfire, snow stacks up like cargo, spring melt prowls under the eaves, and the summer sun bakes whatever the hail missed. Your roof is not a hat, it is a system. If you treat it like a system and not just a layer of shingles, you can squeeze extra years out of it and avoid the kind of emergency that starts with a drip and ends with a dehumidifier army in your living room.

I have spent more afternoons than I can count squinting along ridge lines and crawling through frosty attics in January. The roofs that last typically share the same quiet habits. They do not look flashy from the street, but inside the attic the insulation is tidy, the vents breathe, and the metal flashings sit clean and square. The owners keep small problems small. That is how you extend a Winnipeg roof’s life, not with one big gesture but with stubborn attention to the right details.

## Build on the right bones

The roof deck is the platform for everything else. Around Winnipeg you will find plenty of 7/16 inch OSB on rafters at 24 inches on center, and that can work, provided it is dry and properly fastened. If you hear a drum sound when you walk a valley or see nail pops running like a dotted line, the deck is flexing. Flexing breaks shingles, invites ice, and shortens life. On re-roofs, budget for replacing any spongy sections with exterior grade plywood. Use ring-shank nails, not smooth shank, and hit structure. A roof that starts stiff ends up quiet for years.

While you are here, look at the overhangs. Rotten fascia hides under aluminum wraps and will not hold gutters or drip edge for long. You can keep a tired fascia alive with backing blocks and screws, but at some point it is cheaper to replace than to keep re-fastening gutters after every windstorm. Winnipeg gusts are not shy. A straight, solid edge is your friend when the snow load leans and freezes.

## Underlayment and ice protection are not optional

Asphalt shingles are only as good as the layers beneath them. Synthetic underlayment gives you a dry stage during installation and backs you up if wind lifts a tab. More importantly, in our climate you need ice and water shield in the right places. That means along eaves, valleys, and around any roof penetration such as vents and chimneys. Most installers run 3 to 6 feet up from the eaves, depending on the overhang and roof pitch. The goal is simple, a continuous peel-and-stick barrier that reaches past the interior wall line so meltwater cannot find your drywall edge.

Valleys deserve special care. Open metal valleys, installed over ice and water shield, shed snow better than woven shingle valleys in freeze-thaw cycles. If you like the woven look, fine, but expect more granule loss where the shingles fold and flex. For metal, a minimum 24 gauge with hemmed edges reduces noise and resist warping. Painted steel holds up well and is widely available locally.

Drip edge matters more than its thin profile suggests. It closes the gap where wind-driven rain and capillary action sneak in. You want it beneath the underlayment along the rakes and over the ice shield along the eaves. A tiny detail, repeated around a house, keeps plywood from swelling and eaves from rotting.

## Ventilation is half the game

Ice dams are not a roof problem, they are a building science problem. Warm attic air meets cold roof deck, snow melts, water runs, it freezes at the overhang, and the next melt backs up under shingles. Two things fix this long

term: keep the attic cold, and give moist air an exit.

Every Winnipeg roof that lasts tends to hit a healthy intake to exhaust balance. As a rule of thumb, you will hear 1 square foot of net free vent area per 300 square feet of attic, split intake to exhaust. That is a starting point. In real houses with baffles, insulation and odd framing, you tailor it. Continuous soffit vents feeding a ridge vent are simple and effective, provided the soffit is truly open. I cannot count the homes with brand new ridge vents and soffits still blocked by plywood or old insulation batts jammed to the edge.

If you have gable vents, do not mix them with a ridge vent unless you understand the pressure zones. Wind can short-circuit the flow, pulling air in through the ridge and out the gable. That is the opposite of what you want. Either commit to a ridge and soffit plan or design the gables to complement it. Mechanical roof vents have their place, but they are rarely needed if passive airflow is well designed. And they can pull conditioned house air into the attic if air sealing is poor.

Speaking of air sealing, do not dump bathroom or kitchen fans into the attic. It fogs your insulation and feeds frost flowers on the underside of the sheathing. Run insulated duct to a proper roof cap with a backdraft damper. Tape and strap every joint. A small length of uninsulated duct near a roof cap can condense gallons of water over a cold snap.

## Insulation, where the quiet savings live

You will hear a lot of numbers for attic R-values. In practice here, attics that stay cold and dry often **winnipeg roofing** carry somewhere around R50 to R60, blown in or batt-and-blown combos. The number itself is less important than the coverage. Smooth, even depth with raised baffles at the eaves so the insulation does not block airflow. Pay attention to attic hatches and the tops of interior walls. A thin spot along a partition can telegraph a melt line on the roof after the first sunny day of February.

If your attic floor is a windy mess of electrical holes, plumbing chases and chimney gaps, seal them. A two-tube can of fire-stop foam around a flue is cheaper than one service call to scrape icicles. Air sealing is unglamorous and effective. It makes the heat you already pay for behave.



## Choose shingles for the prairie, not the brochure

The shingles that age well in Winnipeg handle hail, heat and cold cycles. Architectural laminated shingles with a fiberglass mat have largely replaced the old three-tabs for good reason. If you can swing it, look for impact-resistant ratings in the Class 3 or Class 4 range. They do not make you hail-proof, but they bounce better and sometimes earn a small premium discount from insurers. Ask your provider. SBS modified shingles, which include rubber polymers, stay more flexible in cold snaps and grip nails better.

Wind ratings are an easy number to compare across brands. A 130 mph rating translates to roughly 210 km/h, which is plenty for us, but only if the shingles are nailed correctly. That means the proper nail count per shingle, nail placement through the common bond, and nails driven flush, not sunk or proud. In practice, I see everything from three nails to crooked nails near the tar line. Spend a little time on the fasteners and you gain years down the road.

Color is not just aesthetics. Dark shingles will run a bit hotter in July. Lighter tones shed heat and fade less harshly, which slows the loss of asphalt oils and granules. On a steep south face, a mid-tone can be a smart compromise.

## Flashings are your roof’s punctuation

Most leaks I track down do not begin with bad shingles, they start at lazy metal. Step flashing along walls should be individual pieces, tucked under each course, not one continuous strip dotted with caulk. Kickout flashing at the base of a wall pushes water into the gutter rather than behind your siding. Chimneys need counter-flashing that is cut into the mortar joint and stepped, not just stuck to brick with a wish.

On the high side of a wide chimney or where a valley slams into a vertical wall, a cricket is not overkill. It divides the flow and stops water from sitting and freezing in a corner. After one January thaw and freeze, that frozen corner becomes a pry bar on whatever seam is weakest.

Skylights merit their own paragraph. For cold climates, curb-mounted units with proper factory flashing, tempered glass outside and laminated inside are worth it. Consider triple glazing with a low-e coating if condensation has been a past issue. And run the ice and water shield up the curb before flashing. If you ever had to chip ice off the inside corner of a skylight tunnel in February, you know why.

## Gutters, downspouts, and the quiet path away from trouble

Your roof is only as dry as its exit routes. Five inch K-style gutters handle most homes, but large rear faces and long valleys often deserve a 3 by 4 inch downspout rather than a skinny 2 by 3. The shape is not just cosmetic. A larger downspout handles spring melt and late fall slush that would choke a smaller elbow.

Hang gutters with screws into solid fascia, not nails into soft wood. Pitch them gently, an inch of fall over 30 to 40 feet does the job. And give water somewhere to go at ground level. Extensions that actually reach past your planting beds are a simple way to keep your basement and your eaves dry.

Heat cables come up every December. Use them as a last resort on chronic ice dam edges after you have handled insulation, ventilation, and air sealing. When you install them, follow the manufacturer’s zigzag pattern, keep connections dry, and run them on a timer. They are a tool, not a lifestyle.

## Snow, ice, and the art of doing just enough

Snow on a roof is not inherently bad. In deep winter, a layer insulates the house and shields shingles from wind. Problems start when melt and refreeze cycles stack ice at the eaves or when heavy, wet March storms load up a low slope. If your roof edges grow thick collars of ice and your ceilings sprout brown halos, you need to address the cause. In the short term, removing some snow helps.

Use a roof rake from the ground with a non-metallic blade. Pull the first few feet off along the eaves and clear valleys that feed into cold corners. Do not hack at ice with an axe. You will cut shingles and create leaks. Calcium chloride socks, laid above the dam, can melt channels without scarring. On low slopes, gentle hand removal from

the roof can be safe, but that phrase hides a lot of risk. I have turned down more than one eager homeowner on a February afternoon because the pitch, the slick granules and the hidden ice made the risk wrong. There is no hero shot worth a slip.

## The seasonal rhythm that keeps small problems small

Winnipeg roofs age in patterns. Fall winds test the fasteners and flashings. Winter tests insulation and ventilation. Spring melt tests the details along eaves and valleys. Summer punishes exposed asphalt and caulk. If you match that rhythm with your attention, you stay ahead of it.

Here is a light, realistic checklist for most homeowners.

- Early fall: Clean gutters and downspouts, peek at the drip edge, and look for granules in the troughs that hint at shingle wear.
- Mid winter: After the first thaws, step outside and scan for uneven melt lines that suggest heat loss or blocked soffits.
- Early spring: Check for stains on top-floor ceilings and inspect the attic for frost melt, especially around vents and chimneys.
- Late spring: From the ground, use binoculars to look at valleys, flashings, and ridge caps. If safe, gently rake remaining winter debris.
- Midsummer: After a storm, do a quick walkaround for lifted tabs, missing shingles, or punctures from branches or hail.

You do not need to climb a ladder every weekend. Two short sessions a year plus a couple storm checks make a meaningful difference.

## Hail happens, plan like you know it

Hail is not a question of if, it is a matter of when. The stones here range from pea to plum on a bad day, with wind driving them sideways. Impact-resistant shingles do better, but even they can lose granules where hits cluster. Keep detailed photos of your roof when it is new and after any notable storm. If you do file a claim, that record shortens the argument. After a hailstorm, walk the perimeter and check soft metals first. If the furnace cap, eavestrough elbows and aluminum wraps are dimpled, there is a decent chance the shingles took hits too, even if they look fine from the ground. A qualified winnipeg roofing contractor will read those signs and check the field.

Not all hail damage is urgent. Bruised shingles without cracks might not leak immediately. Your strategy may involve a monitored patch, a partial replacement, or a full tear-off, depending on age and coverage. If your roof is midway through its life and you earn a full replacement from insurance, that is the time to upgrade ventilation, flashings, and ice protection. Build better with someone else footing most of the bill.

## Attic inspections that actually tell you something

A good attic check beats a hundred guesses from the lawn. Wait for a cold snap, pick a sunny day, and pop the hatch around noon. Take a flashlight and a moisture meter if you have one. You are looking for frost on nails and sheathing, matted insulation, dark streaks that trace leaks, and sun lines in soffits that reveal open airflow. If you see hoarfrost clustering near a bath fan line or around a chimney, you found a moisture source. Follow it and fix it. Check truss roof inspection Winnipeg heels by the eaves, where insulation thins. If you can slip a hand behind a baffle and feel wind on your fingers, your soffits are open. Good sign.

Smell matters. A stale, damp attic has a different scent than dry wood and dust. It is subtle, but once you catch it you will not forget it. Moisture in an attic does not always drip. Sometimes it seasons the wood until mold inches in along the north slope. Keep your senses awake and you will spot problems months earlier.

## Repairs that last through the thaw

Patching a lifted tab in October is not the same as patching one in March. In the cold, adhesives do not flow and shingles crack when bent. If a storm takes a chunk in winter, use cold-weather rated sealants and bridge patches rather than prying up with a bar. On a warm day above freezing, you can reset shingles with roofing cement and proper nails. In the shoulder seasons, timing matters. Work in the warmest hours so seal strips can bond.

Metal repairs follow their own rules. Replace rather than caulk when you can. Caulk shrinks and lets go under UV and temperature swings. A new piece of step flashing, laced under the siding where possible, beats a bead on the surface every time.

## When to call a pro without feeling silly

Some roof issues reward DIY attention. Others turn fast. Here are quick red flags that suggest you bring in a reputable local contractor.

- Interior stains that grow after a thaw or wind-driven rain.
- Ice dams larger than a hand’s width persisting after a cold snap.
- Shingle loss in clusters, especially near ridges and along eaves.
- Spongy decking underfoot or sag lines visible from the street.
- Attic frost that returns a day or two after you ventilate or seal known leaks.

A good contractor will not just sell shingles. They will look at your attic, your vents, and how your house actually behaves in January. That is the value in working with someone steeped in winnipeg roofing rather than a one-size-fits-all outfit from a milder climate.

## Warranty myths and reality

Shingle boxes shout about limited lifetime warranties. Read the fine print. You will find non-prorated periods that cover manufacturing defects, not installation errors or storm damage. You can often extend coverage with an approved system install, which means using a specific set of underlayments, ice shields and accessories. That can be worth it, but the warranty is no replacement for careful work. Save invoices and photos of each layer during installation. A simple set of pictures showing ice shield reach, vent layout, and flashing details can save days if you ever need to make a claim.

## The small upgrades that pay for themselves

A few add-ons punch above their weight.

- High-profile ridge caps shed snow better and hold up under UV longer than cut three-tabs, particularly on southern exposures.
- Metal drip edge with a kickout lip moves meltwater cleanly into gutters and away from fascia.
- Self-sealing pipe boots with reinforced collars outlast basic rubber in deep cold where rubber can split.

- Starter strips at eaves and rakes, matched to the shingle system, give you the adhesion line that hand-cut starters sometimes miss.
- Wide flange roof vents or a continuous ridge vent sized to match intake can end years of minor ice damming.

None of these will sell your house on their own. Together they make the whole system breathe and shed.

## Real-world trade-offs and edge cases

Not every roof gets textbook treatment. On century homes with low-slope porch tie-ins and wonky framing, the best answer might be a different material on the tricky sections. Peel-and-stick membranes or a small swath of modified bitumen where a porch roof meets a warm wall can stop a stubborn leak better than more shingles. On very low slopes, under 3 in 12, shingles need special installation methods or a different product entirely. If your contractor shrugs at that, get a second opinion.

Trees near a roof are rare in some Winnipeg neighborhoods and thick in others. Broad canopies over a house look romantic, but they shade the north slope, keep it wet, and feed gutters. Trimming back a few feet once a year is simple math that adds shingle years. If your roof grows algae streaks on the north face, zinc or copper strips near the ridge can help. Rain will wash small amounts of metal down the face and keep growth down. It is not instant, but it is low effort.

Metal roofs deserve a nod. Standing seam systems shed snow beautifully and laugh at hail that would bruise asphalt. They cost more up front. On a simple gable with decent pitch, the long-term math can work, especially if you plan to stay put. On complex roofs with many penetrations and valleys, the labor costs climb. If you go this route, hire someone who does metal every week, not as a side gig.

## The attitude that keeps roofs alive

Roofs age the way we do, with a mix of genetics and habits. Materials matter. Workmanship matters more. After that, the winners are the homes where owners stay curious. They glance up after storms. They learn their attic’s moods. They fix tiny annoyances before they become problems with names and invoices. And they use the right pros when the work runs past what makes sense on a ladder.

Winnipeg will keep throwing its best at your roof. With the right layers underfoot, honest ventilation, and a twice-a-year look-in, your roof will shrug most of it off for years longer than the pessimist down the block expects. That extra time is not luck. It is the quiet dividend of knowing how the whole system breathes, sheds and settles through a prairie year.

Canadian Crafted Roofing And Renovations
314 Bond St, Winnipeg, MB R2C 1X5
+12042217663
https://cancrafted.ca/
Facebook